

Table 5.7c
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Recipient Age at Tx	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
<1 Year									
Patients	-	1	-	-	-	-	1	1	2
Deaths	-	0	-	-	-	-	0	0	0
Rate	-	*	-	-	-	-	*	*	*
1-5 Years									
Patients	40	48	35	40	46	50	48	55	81
Deaths	1	2	0	1	2	2	2	3	2
Rate	25.3	42.8	0.0	25.0	44.5	41.0	42.6	56.1	24.8
6-11 Years									
Patients	80	80	63	75	80	92	84	103	116
Deaths	2	3	2	0	1	2	1	1	2
Rate	25.5	38.5	32.8	0.0	12.6	21.9	12.0	9.8	17.5
12-17 Years									
Patients	163	209	175	167	188	226	239	293	374
Deaths	2	3	1	3	0	3	5	4	5
Rate	12.3	14.5	5.7	18.2	0.0	13.4	21.2	13.8	13.4
18-34 Years									
Patients	1,353	1,307	1,298	1,235	1,208	1,083	1,219	1,142	1,185
Deaths	26	34	26	21	32	19	26	23	12
Rate	19.5	26.5	20.3	17.2	26.9	17.7	21.6	20.3	10.2
35-49 Years									
Patients	2,787	2,650	2,636	2,621	2,584	2,478	2,662	2,650	2,688
Deaths	87	89	104	89	90	90	74	92	71
Rate	31.8	34.3	40.4	34.7	35.6	37.1	28.3	35.5	26.9
50-64 Years									
Patients	2,759	2,900	2,896	3,036	3,178	3,312	3,520	3,740	4,083
Deaths	201	230	259	212	210	224	219	215	230
Rate	76.4	83.8	94.8	73.1	69.1	70.6	64.6	59.5	58.3

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Recipient Age at Tx	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
65+ Years									
Patients	716	721	855	895	1,003	1,147	1,256	1,528	1,687
Deaths	81	89	106	110	107	110	130	167	158
Rate	121.1	133.9	133.8	133.9	114.5	101.9	110.7	117.0	99.4

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Ethnicity/Race	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
White									
Patients	4,368	4,342	4,256	4,217	4,219	4,129	4,349	4,525	4,815
Deaths	231	256	270	224	244	223	247	245	250
Rate	54.7	61.4	66.0	55.0	60.0	55.9	58.8	55.9	53.5
African American									
Patients	2,178	2,196	2,310	2,409	2,487	2,563	2,711	2,925	3,144
Deaths	117	121	154	142	132	161	132	156	148
Rate	55.5	57.1	69.6	61.2	54.9	65.2	50.3	55.2	48.6
Other/Multi-race									
Patients	83	98	87	68	90	98	145	137	168
Deaths	4	12	5	6	3	1	7	8	6
Rate	49.7	134.4	58.6	93.3	34.0	10.3	49.9	61.1	36.5
Asian									
Patients	404	389	411	399	425	477	560	589	618
Deaths	19	17	19	25	22	21	20	29	21
Rate	48.5	45.1	47.4	65.4	53.5	45.4	36.5	50.8	34.7
Hispanic/Latino									
Patients	864	891	894	976	1,065	1,121	1,264	1,336	1,471
Deaths	29	44	50	39	41	44	51	67	55
Rate	34.3	51.1	58.0	41.0	39.5	40.3	41.4	51.7	38.3
Unknown									
Patients	1	-	-	-	1	-	-	-	-
Deaths	0	-	-	-	0	-	-	-	-
Rate	*	-	-	-	*	-	-	-	-

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Gender	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
Female									
Patients	3,156	3,168	3,150	3,227	3,366	3,257	3,621	3,752	4,011
Deaths	159	182	178	155	163	155	162	166	157
Rate	52.1	59.7	58.6	49.5	50.0	49.0	46.0	45.5	40.1
Male									
Patients	4,742	4,748	4,808	4,842	4,921	5,131	5,408	5,760	6,205
Deaths	241	268	320	281	279	295	295	339	323
Rate	52.5	58.6	69.4	60.3	58.8	59.6	56.4	61.0	53.8

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Blood Type	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
A									
Patients	3,045	3,041	3,070	3,111	3,173	3,100	3,295	3,507	3,708
Deaths	149	170	194	169	182	171	161	189	173
Rate	50.4	58.0	65.8	56.2	59.6	57.0	50.3	55.7	48.0
AB									
Patients	375	460	414	441	447	415	428	516	561
Deaths	20	27	29	24	20	21	20	23	30
Rate	55.1	61.2	73.0	56.4	45.9	52.3	48.2	45.9	55.2
B									
Patients	983	1,020	946	977	996	983	1,189	1,211	1,352
Deaths	50	57	52	58	50	61	65	66	63
Rate	52.5	58.0	56.8	61.8	51.9	64.4	56.7	56.5	48.0
O									
Patients	3,495	3,395	3,528	3,540	3,671	3,890	4,117	4,278	4,595
Deaths	181	196	223	185	190	197	211	227	214
Rate	53.6	60.0	65.8	54.1	53.5	52.3	52.9	54.8	48.0

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Residency	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
U.S. Resident									
Patients	7,808	7,843	7,902	8,002	8,216	8,346	8,980	9,458	10,126
Deaths	398	447	497	436	437	450	456	502	480
Rate	52.7	59.2	65.4	56.5	55.0	55.7	52.4	54.8	48.8
Nonresident Alien									
Patients	56	48	43	56	62	39	44	51	87
Deaths	0	2	1	0	4	0	1	2	0
Rate	0.0	43.4	23.5	0.0	67.2	0.0	22.9	40.1	0.0
Unknown									
Patients	34	25	13	11	9	3	5	3	3
Deaths	2	1	0	0	1	0	0	1	0
Rate	61.5	41.1	0.0	0.0	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Previous Tx Same Organ	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
No									
Patients	6,803	6,855	6,778	6,952	7,173	7,300	7,784	8,285	8,865
Deaths	353	403	419	384	387	400	395	446	422
Rate	53.6	61.1	64.3	57.2	55.9	56.7	52.4	55.6	49.1
Yes									
Patients	1,095	1,061	1,180	1,117	1,114	1,088	1,245	1,227	1,351
Deaths	47	47	79	52	55	50	62	59	58
Rate	44.1	45.6	70.0	48.1	50.9	47.2	51.3	49.6	44.0

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Hospitalized at Tx	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
Not Hospitalized									
Patients	7,712	7,703	7,844	7,899	8,133	8,241	8,891	9,406	10,095
Deaths	383	429	481	425	428	432	446	494	471
Rate	51.2	57.8	63.7	55.7	54.4	54.2	51.7	54.2	48.0
Hospitalized									
Patients	143	184	91	158	146	138	115	82	100
Deaths	13	14	10	10	13	16	9	8	7
Rate	97.8	80.3	119.0	66.1	94.7	123.0	82.6	104.7	73.7
In Intensive Care									
Patients	37	25	21	11	8	9	22	24	21
Deaths	4	7	7	1	1	2	2	3	2
Rate	118.4	364.8	473.0	99.6	*	*	93.5	142.4	98.5
Unknown									
Patients	6	4	2	1	-	-	1	-	-
Deaths	0	0	0	0	-	-	0	-	-
Rate	*	*	*	*	-	-	*	-	-

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Primary Diagnosis	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
Glomerular Diseases									
Patients	2,195	2,186	2,160	2,075	2,168	2,049	2,282	2,262	2,501
Deaths	81	91	80	84	88	90	80	71	71
Rate	37.8	42.9	37.9	41.6	41.6	45.2	35.8	32.0	28.9
Tubular and Interstitial Diseases									
Patients	512	466	491	433	416	478	484	508	521
Deaths	23	24	17	27	19	18	19	29	18
Rate	46.2	53.5	35.3	65.0	46.8	38.5	40.2	59.1	35.1
Polycystic Kidneys									
Patients	739	757	757	720	734	715	724	810	868
Deaths	36	35	28	23	32	15	32	22	32
Rate	50.2	47.7	37.8	32.7	45.0	21.2	45.4	27.6	37.6
Diabetes									
Patients	1,673	1,673	1,619	1,713	1,867	1,911	2,150	2,308	2,304
Deaths	127	146	159	128	151	161	168	184	179
Rate	79.8	92.6	104.1	78.4	85.2	88.7	81.9	83.7	81.8
Renovascular & Other Vascular Diseases									
Patients	426	458	452	431	510	482	435	375	335
Deaths	26	34	36	23	31	28	21	20	15
Rate	63.5	77.6	83.8	54.9	63.2	60.1	49.8	55.5	46.1
Hypertensive Nephrosclerosis									
Patients	1,325	1,335	1,389	1,573	1,564	1,705	1,888	2,103	2,409
Deaths	82	77	106	103	87	103	89	122	126
Rate	64.2	59.9	80.2	68.4	57.8	62.8	48.6	60.1	54.1

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Primary Diagnosis	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Other									
Patients	679	624	681	717	640	683	679	755	861
Deaths	17	28	51	32	25	22	30	43	27
Rate	25.5	46.2	78.8	46.1	40.1	32.8	45.5	59.0	32.0
Congenital, Rare Familial, & Metabolic Disorders									
Patients	221	257	185	182	204	232	247	267	309
Deaths	8	7	4	6	3	9	8	8	6
Rate	37.0	27.8	22.0	33.5	14.8	39.7	33.0	30.6	19.6
Neoplasms									
Patients	13	24	23	27	22	28	30	36	41
Deaths	0	4	2	2	0	2	3	2	1
Rate	0.0	176.0	94.3	76.3	0.0	75.4	104.4	57.7	25.0
Unknown									
Patients	115	136	201	198	162	105	110	88	67
Deaths	0	4	15	8	6	2	7	4	5
Rate	0.0	30.0	78.5	41.6	38.0	19.4	66.4	46.5	78.2

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

PRA at Transplant	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
0%-9%									
Patients	6,244	6,101	6,061	6,262	6,473	6,452	6,748	7,322	7,779
Deaths	302	345	385	334	345	347	334	397	356
Rate	49.9	58.7	66.1	55.2	55.2	55.5	51.0	56.1	47.1
10%-79%									
Patients	868	919	958	874	893	1,034	1,215	1,240	1,449
Deaths	50	50	64	45	56	57	68	60	78
Rate	59.8	56.4	69.9	53.2	65.5	57.2	58.2	49.8	55.4
80%+									
Patients	239	299	303	313	368	386	498	540	613
Deaths	15	22	18	19	11	15	25	20	30
Rate	65.2	77.1	61.7	63.2	30.3	39.8	51.6	37.8	50.4
Unknown									
Patients	547	597	636	620	553	516	568	410	375
Deaths	33	33	31	38	30	31	30	28	16
Rate	62.6	57.4	50.2	63.7	56.1	62.7	54.3	71.3	43.8

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Donor Age	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
<1 Year									
Patients	23	40	30	34	31	14	19	19	51
Deaths	0	1	2	2	2	0	0	1	2
Rate	0.0	25.6	70.7	61.2	68.6	0.0	0.0	54.5	40.1
1-5 Years									
Patients	232	220	206	213	214	200	213	201	257
Deaths	11	6	5	3	9	9	6	7	3
Rate	48.7	27.8	24.5	14.2	43.0	46.3	28.6	35.7	11.8
6-11 Years									
Patients	302	302	312	348	273	209	277	210	228
Deaths	14	16	15	16	11	9	8	14	9
Rate	47.5	54.8	49.5	47.4	41.3	44.0	29.4	70.4	40.2
12-17 Years									
Patients	817	747	783	713	731	720	754	723	734
Deaths	35	28	35	21	23	22	29	20	18
Rate	44.2	38.4	46.0	30.0	32.1	31.1	39.5	28.1	24.9
18-34 Years									
Patients	2,275	2,172	2,203	2,293	2,503	2,415	2,680	2,821	3,019
Deaths	85	87	109	76	89	90	110	100	100
Rate	38.3	41.2	51.1	33.9	36.4	38.1	42.1	36.3	33.8
35-49 Years									
Patients	2,242	2,363	2,326	2,367	2,361	2,466	2,628	2,809	3,042
Deaths	99	135	151	138	133	124	109	133	133
Rate	45.4	59.3	67.7	60.4	58.4	51.8	42.6	48.7	44.9
50-64 Years									
Patients	1,660	1,740	1,841	1,794	1,852	2,019	2,105	2,358	2,451
Deaths	118	139	156	129	133	158	163	186	167
Rate	74.5	84.2	89.2	75.5	75.0	82.2	81.1	82.6	71.3

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Donor Age	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
65+ Years									
Patients	347	332	257	307	322	345	353	371	434
Deaths	38	38	25	51	42	38	32	44	48
Rate	117.3	123.6	103.4	185.6	144.0	118.5	95.5	126.6	118.7

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
Total										
	Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
	Deaths	400	450	498	436	442	450	457	505	480
	Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
A Locus Mismatch										
0										
	Patients	1,802	1,882	1,888	1,841	1,772	1,682	1,956	1,946	1,932
	Deaths	80	98	111	97	85	73	74	92	83
	Rate	45.6	54.0	61.1	54.5	49.4	44.6	38.7	48.6	44.1
1										
	Patients	2,950	2,828	2,836	3,019	2,947	2,985	3,099	3,210	3,661
	Deaths	156	163	174	165	166	149	147	193	189
	Rate	54.6	60.0	63.8	56.5	58.5	51.5	48.8	62.5	53.3
2										
	Patients	3,128	3,190	3,228	3,209	3,568	3,718	3,974	4,354	4,621
	Deaths	164	188	212	174	191	228	236	220	208
	Rate	54.3	61.1	68.4	56.3	55.4	63.6	61.7	52.1	46.3
Unknown										
	Patients	18	16	6	0	0	3	0	2	2
	Deaths	0	1	1	0	0	0	0	0	0
	Rate	0.0	66.0	*	0.0	0.0	*	0.0	*	*
B Locus Mismatch										
0										
	Patients	1,909	1,911	1,902	1,762	1,769	1,504	1,608	1,622	1,553
	Deaths	76	92	108	82	91	56	61	73	60
	Rate	40.8	49.7	58.9	47.9	53.1	38.1	38.8	46.2	39.5
1										
	Patients	3,052	2,888	2,834	2,894	2,797	2,266	2,103	2,092	2,299
	Deaths	156	158	170	162	111	122	112	124	118
	Rate	52.8	56.8	62.4	58.1	40.7	55.6	55.0	61.5	53.0
2										
	Patients	2,919	3,101	3,216	3,413	3,721	4,615	5,318	5,796	6,362
	Deaths	168	199	219	192	240	272	284	308	302

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
B Locus Mismatch										
2										
	Rate	59.7	66.9	71.0	58.4	67.3	61.2	55.2	54.9	48.9
	Unknown									
	Patients	18	16	6	-	-	3	-	2	2
	Deaths	0	1	1	-	-	0	-	0	0
	Rate	0.0	66.0	*	-	-	*	-	*	*
DR Locus Mismatch										
0										
	Patients	2,624	2,526	2,497	2,584	2,556	2,276	2,340	2,408	2,350
	Deaths	114	137	136	108	121	101	93	111	91
	Rate	44.6	56.2	56.4	43.0	48.7	45.5	40.7	47.5	39.7
1										
	Patients	3,396	3,324	3,436	3,261	3,234	3,401	3,893	4,063	4,350
	Deaths	180	183	228	179	171	171	195	194	209
	Rate	54.9	57.1	69.2	56.8	54.6	51.9	51.7	49.1	49.5
2										
	Patients	1,855	2,041	2,013	2,220	2,493	2,702	2,796	3,035	3,509
	Deaths	104	129	133	149	150	177	169	199	180
	Rate	58.2	66.1	68.9	70.2	62.7	68.2	62.7	68.3	53.0
	Unknown									
	Patients	23	25	12	4	4	9	-	6	7
	Deaths	2	1	1	0	0	1	-	1	0
	Rate	92.3	41.4	84.4	*	*	*	-	*	*
Total Mismatch										
0										
	Patients	1,120	1,195	1,173	1,218	1,236	1,195	1,417	1,447	1,370
	Deaths	42	58	63	49	55	46	50	68	51
	Rate	38.4	50.2	55.7	41.3	45.7	39.4	36.0	48.3	38.1
1										
	Patients	367	350	365	252	196	133	96	71	80
	Deaths	18	18	24	10	18	5	3	2	6
	Rate	50.5	53.3	68.7	40.7	96.9	38.1	32.0	28.9	77.7

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
Total Mismatch	2									
	Patients	858	743	742	748	703	473	317	306	344
	Deaths	36	33	46	47	32	22	14	12	17
	Rate	43.0	45.8	64.4	65.3	46.9	47.7	45.3	40.2	50.8
3	Patients	1,741	1,587	1,538	1,586	1,479	1,176	1,110	1,135	1,176
	Deaths	93	93	87	91	60	55	49	60	56
	Rate	55.1	60.9	58.5	59.6	41.8	48.3	45.3	54.8	49.2
4	Patients	1,721	1,749	1,828	1,820	1,905	2,023	2,353	2,382	2,683
	Deaths	95	108	116	94	99	113	121	132	127
	Rate	57.3	64.3	66.1	53.3	53.5	57.7	53.1	57.3	48.7
5	Patients	1,396	1,506	1,565	1,582	1,710	2,262	2,617	2,882	3,081
	Deaths	75	93	107	87	116	122	150	151	158
	Rate	55.7	64.3	71.3	57.1	71.1	55.9	59.4	54.1	53.0
6	Patients	666	759	734	859	1,054	1,115	1,119	1,283	1,475
	Deaths	39	46	54	58	62	86	70	79	65
	Rate	60.9	63.2	77.2	70.9	61.1	80.7	65.0	63.9	45.3
Unknown	Patients	29	27	13	4	4	11	-	6	7
	Deaths	2	1	1	0	0	1	-	1	0
	Rate	72.3	38.2	77.8	*	*	98.8	-	*	*

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Cold Ischemic Time	Year of Transplant								
	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total									
Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Deaths	400	450	498	436	442	450	457	505	480
Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
0-11 Hours									
Patients	896	990	1,029	1,196	1,338	1,532	1,589	1,880	2,177
Deaths	38	44	54	54	54	75	83	84	85
Rate	43.6	45.6	54.0	46.5	41.4	50.4	53.9	45.9	40.0
12-21 Hours									
Patients	3,364	3,123	3,103	3,107	3,444	3,407	3,724	3,767	4,199
Deaths	161	166	176	168	182	160	157	204	199
Rate	49.3	55.0	58.8	56.0	54.7	48.4	43.2	56.0	48.8
22-31 Hours									
Patients	2,379	2,204	2,119	1,976	1,928	1,891	2,056	2,228	2,206
Deaths	128	126	144	101	119	110	103	114	108
Rate	55.7	59.5	70.9	52.8	64.1	60.4	51.7	52.7	50.4
32-41 Hours									
Patients	655	524	469	406	396	355	378	393	470
Deaths	43	37	34	23	20	23	24	23	22
Rate	68.5	74.0	75.8	58.8	52.2	67.2	66.0	60.7	48.3
42+ Hours									
Patients	92	92	71	82	75	84	78	114	148
Deaths	6	10	10	5	3	6	10	11	9
Rate	67.6	117.8	154.9	63.9	40.3	74.6	142.7	103.4	62.7
Unknown									
Patients	512	983	1,167	1,302	1,106	1,119	1,204	1,130	1,016
Deaths	24	67	80	85	64	76	80	69	57
Rate	48.2	71.6	71.9	68.1	60.5	70.5	69.5	63.5	58.3

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
Total										
	Patients	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
	Deaths	400	450	498	436	442	450	457	505	480
	Rate	52.3	59.1	65.1	56.0	55.2	55.5	52.2	54.8	48.4
AL										
	Patients	168	162	212	155	147	138	108	152	145
	Deaths	9	4	4	5	9	4	10	8	6
	Rate	55.6	25.0	19.2	32.8	63.5	29.4	99.6	54.4	42.4
AR										
	Patients	49	43	43	39	61	56	82	94	99
	Deaths	2	0	3	0	3	4	2	4	4
	Rate	41.0	0.0	73.2	0.0	50.1	73.0	24.7	43.4	41.4
AZ										
	Patients	123	110	88	99	110	102	130	139	141
	Deaths	5	7	6	7	4	4	6	7	4
	Rate	41.6	66.3	70.7	73.1	37.1	39.9	47.9	52.3	28.7
CA										
	Patients	922	859	875	904	979	1,061	1,157	1,079	1,215
	Deaths	42	45	45	51	50	57	60	58	42
	Rate	46.9	54.3	52.8	58.7	52.6	55.7	53.4	55.4	35.2
CO										
	Patients	74	94	90	87	103	118	128	135	120
	Deaths	1	6	6	6	4	4	4	5	4
	Rate	13.7	66.5	69.0	72.5	40.2	34.7	31.9	37.9	33.8
CT										
	Patients	57	54	58	53	80	70	73	79	75
	Deaths	3	4	6	4	8	2	1	3	3
	Rate	54.5	78.7	108.5	80.4	108.4	29.4	13.9	39.1	40.5
DC										
	Patients	95	83	56	72	66	64	85	128	119
	Deaths	9	6	3	4	2	3	4	8	9
	Rate	99.9	76.6	55.2	58.1	31.1	48.4	48.5	65.2	79.5

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
DE	Patients	-	-	3	3	-	2	2	2	2
	Deaths	-	-	0	0	-	0	0	0	0
	Rate	-	-	*	*	-	*	*	*	*
FL	Patients	493	517	505	542	478	496	564	660	575
	Deaths	21	30	32	26	23	18	32	34	20
	Rate	43.6	60.2	66.0	49.4	49.6	37.0	58.7	53.2	35.6
GA	Patients	207	200	215	229	203	199	226	223	247
	Deaths	6	5	14	13	11	10	10	8	15
	Rate	29.4	25.4	68.3	58.3	56.2	51.8	45.4	36.5	63.1
HI	Patients	22	39	31	32	38	38	25	35	37
	Deaths	2	0	2	1	2	2	1	1	0
	Rate	98.5	0.0	68.5	31.7	54.7	54.3	40.7	29.4	0.0
IA	Patients	68	67	78	69	95	68	57	79	77
	Deaths	1	4	6	2	8	2	5	3	1
	Rate	14.9	61.6	80.4	29.5	88.4	30.0	93.3	38.7	13.2
IL	Patients	264	302	337	295	341	353	349	359	363
	Deaths	11	21	18	13	16	21	19	25	20
	Rate	42.7	73.0	55.3	45.2	48.4	62.0	56.1	72.9	56.8
IN	Patients	132	93	103	117	161	170	163	196	99
	Deaths	5	4	6	1	4	5	6	7	6
	Rate	38.8	44.6	61.0	8.6	25.3	30.1	37.4	36.6	61.8
KS	Patients	61	61	56	50	65	63	76	70	72
	Deaths	3	3	2	2	2	5	6	4	0
	Rate	50.7	50.4	36.9	41.6	31.7	82.3	83.4	58.8	0.0

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
KY	Patients	124	91	92	103	112	118	85	106	109
	Deaths	9	10	7	8	5	10	4	4	4
	Rate	76.5	118.9	81.1	81.7	45.6	89.3	48.6	38.3	37.4
LA	Patients	118	125	155	170	158	183	207	187	177
	Deaths	9	8	5	4	6	11	4	8	6
	Rate	79.7	67.1	32.8	23.7	38.4	62.6	19.6	43.7	34.8
MA	Patients	166	171	154	213	167	186	176	217	231
	Deaths	6	11	8	9	6	13	8	7	13
	Rate	37.1	66.5	53.6	43.5	36.6	73.2	46.7	33.0	58.1
MD	Patients	182	274	351	334	254	176	195	203	232
	Deaths	17	25	35	32	13	10	17	17	16
	Rate	98.4	96.7	105.5	102.1	52.6	58.8	92.1	88.7	71.4
ME	Patients	37	33	31	44	28	33	32	31	42
	Deaths	1	0	1	5	2	0	1	2	0
	Rate	27.2	0.0	33.2	120.9	76.6	0.0	32.1	67.3	0.0
MI	Patients	269	251	232	255	288	264	300	286	331
	Deaths	14	11	13	16	17	19	13	14	24
	Rate	54.2	45.1	57.8	65.2	61.7	74.9	44.4	50.1	76.1
MN	Patients	166	145	183	127	119	128	172	135	167
	Deaths	6	11	11	6	5	10	8	5	5
	Rate	37.0	80.3	62.8	49.3	43.6	80.5	47.2	38.0	30.5
MO	Patients	237	216	202	179	170	148	209	220	291
	Deaths	12	18	16	5	4	7	4	5	11
	Rate	52.7	88.4	84.3	28.3	24.1	49.0	19.3	22.9	38.7

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
MS	Patients	41	30	23	28	30	27	26	14	10
	Deaths	1	3	4	1	3	3	1	0	1
	Rate	24.7	106.5	195.4	36.7	108.1	118.1	39.8	0.0	108.0
NC	Patients	197	175	208	178	202	228	238	290	330
	Deaths	13	5	14	5	10	7	12	8	15
	Rate	68.6	29.0	70.6	28.5	51.4	31.4	52.4	28.0	47.1
ND	Patients	21	14	14	29	40	28	24	28	24
	Deaths	0	1	1	3	4	2	3	3	2
	Rate	0.0	72.4	75.7	108.4	109.0	76.2	135.3	117.9	86.5
NE	Patients	51	40	53	55	36	47	53	41	69
	Deaths	3	0	2	4	0	3	0	2	2
	Rate	60.9	0.0	38.7	76.4	0.0	65.0	0.0	49.5	29.5
NH	Patients	20	11	9	11	16	25	18	23	28
	Deaths	2	1	0	1	0	4	0	0	1
	Rate	108.5	99.0	*	98.0	0.0	179.6	0.0	0.0	36.6
NJ	Patients	158	193	210	207	182	175	245	216	207
	Deaths	7	10	20	11	11	11	17	21	17
	Rate	45.5	53.9	100.5	55.5	63.5	65.5	72.8	103.4	87.2
NM	Patients	44	32	44	31	28	33	36	51	57
	Deaths	0	1	2	1	0	0	1	3	0
	Rate	0.0	32.0	46.4	32.8	0.0	0.0	27.8	61.6	0.0
NV	Patients	43	37	42	43	48	41	52	46	56
	Deaths	2	5	8	6	5	2	3	4	4
	Rate	47.7	150.5	216.2	154.9	113.8	51.1	59.9	93.7	76.2

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
NY	Patients	485	503	426	433	461	414	513	657	804
	Deaths	25	35	30	23	39	25	29	44	42
	Rate	53.2	73.4	73.8	55.4	89.0	62.9	58.6	70.1	54.2
OH	Patients	387	366	363	333	312	293	307	314	345
	Deaths	24	23	33	21	23	20	20	31	27
	Rate	64.2	65.2	96.7	65.8	76.9	71.1	67.6	105.6	82.7
OK	Patients	80	94	88	100	88	102	96	94	86
	Deaths	1	8	8	7	3	5	3	9	6
	Rate	12.6	90.7	95.9	73.3	34.6	50.1	31.9	100.2	73.6
OR	Patients	79	95	95	117	113	124	111	121	137
	Deaths	1	3	4	4	3	4	5	3	5
	Rate	12.8	32.3	43.3	34.7	27.1	33.1	46.6	25.2	37.4
PA	Patients	585	611	537	622	676	689	665	739	872
	Deaths	36	34	35	33	48	45	34	41	44
	Rate	64.0	57.5	67.9	54.8	74.5	68.0	52.8	57.6	52.0
PR	Patients	40	32	37	59	42	56	62	87	61
	Deaths	1	4	0	3	1	4	1	2	1
	Rate	25.2	139.5	0.0	53.2	24.1	74.5	16.4	23.3	16.6
RI	Patients	27	29	31	42	48	34	34	37	34
	Deaths	4	5	3	3	4	3	4	4	1
	Rate	170.8	188.2	106.4	75.8	88.7	94.6	126.9	118.9	30.0
SC	Patients	93	107	125	133	94	101	115	115	142
	Deaths	7	4	7	9	2	6	6	4	6
	Rate	78.9	38.3	58.8	71.8	21.6	62.3	54.0	35.7	42.8

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
SD	Patients	28	25	19	18	30	29	30	33	28
	Deaths	0	1	0	0	2	1	0	0	2
	Rate	0.0	41.2	0.0	0.0	71.0	35.4	0.0	0.0	74.4
TN	Patients	183	197	207	216	242	211	261	238	293
	Deaths	10	8	11	10	14	8	21	10	18
	Rate	56.9	41.5	54.8	47.7	59.8	38.6	85.1	43.2	64.0
TX	Patients	634	670	626	624	681	717	743	767	814
	Deaths	38	35	29	33	24	33	31	47	38
	Rate	62.2	54.1	47.8	54.7	36.1	47.4	43.0	63.6	48.3
UT	Patients	61	76	65	67	66	67	85	63	75
	Deaths	1	2	4	5	2	3	3	2	2
	Rate	16.5	26.7	63.5	79.2	30.8	46.1	36.1	32.6	27.1
VA	Patients	179	157	139	163	170	185	187	228	268
	Deaths	14	8	10	6	14	15	9	9	7
	Rate	83.6	53.0	74.7	37.6	86.9	85.0	49.7	40.0	26.4
VT	Patients	13	17	13	2	2	18	13	20	33
	Deaths	0	1	1	0	1	3	0	0	2
	Rate	0.0	62.3	81.5	*	*	182.2	0.0	0.0	62.8
WA	Patients	159	144	196	148	179	209	232	180	161
	Deaths	9	10	13	8	7	4	11	7	1
	Rate	58.8	73.0	69.2	56.1	40.0	19.3	48.8	39.7	6.2
WI	Patients	199	212	198	206	237	257	249	262	272
	Deaths	4	7	9	19	17	15	16	11	19
	Rate	20.2	33.8	46.5	97.4	75.4	60.3	66.0	42.8	72.6

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1998 to 2006
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State		Year of Transplant								
		1998	1999	2000	2001	2002	2003	2004	2005	2006
WV	Patients	57	59	40	33	41	44	33	33	44
	Deaths	3	3	1	0	1	3	2	3	4
	Rate	54.0	52.6	25.6	0.0	24.5	70.6	64.0	97.2	96.2

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.